

Hello, from Grow For It!

Thank you for trusting us with your heirloom seeds order.

As a bonus gift for being such a great customer of ours,
we would like to give you complete planting, sprouting
and storing instructions for your heirloom seeds.

It will have information on each of the 50 seed varieties you now own, as illustrated in the succeeding pages.


We hope you enjoy this little gift from us at HGA, and best luck on your home garden!

Want to Win FREE products? You can enter our ongoing monthly drawings where you'll be in FOREVER!

Just Scan the QR Code with your Smart Phone camera.



PLANTING



Quantity: 150 Seeds

Soil Temperature: 55 – 75° F Seed Planting Depth: ½" Plant Spacing: 2" to 3" Row Spacing: 12" to 18"

Indoor Sowing: 6-8 weeks before last frost date **Direct Sowing:** 2 weeks before last frost date

Germination Time: 5-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, cool **Water Requirement:** Moderate

Hardiness: Half Hardy


Days to Maturity: 50-60 days

Life Cycle: Biennial

Companion Plants: Cabbage, celery, chamomile, chard, dwarf beans, kohlrabi,

lettuce, onions, silverbeet, spinach

Incompatible Plants: Runner beans, tall beans



Quantity: 150 Seeds

Soil Temperature: 55 – 75° F Seed Planting Depth: ½" Plant Spacing: 2" to 3" Row Spacing: 12" to 18"

Indoor Sowing: 6-8 weeks before last frost date **Direct Sowing:** 2 weeks before last frost date

Germination Time: 5-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, cool **Water Requirement:** Moderate

Hardiness: Half Hardy


Days to Maturity: 48-55 days

Life Cycle: Biennial

Companion Plants: Cabbage, celery, chamomile, chard, dwarf beans, kohlrabi,

lettuce, onions, silverbeet, spinach

Incompatible Plants: Runner beans, tall beans



Quantity: 100 Seeds

Soil Temperature: $45 - 85^{\circ}$ F Seed Planting Depth: $\frac{1}{4}$ " Plant Spacing: 18" to 24" Row Spacing: 24" to 36"

Indoor Sowing: 3-5 weeks before last frost date **Direct Sowing:** 2 weeks after last frost date

Germination Time: 7-14 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, cool **Water Requirement:** Moderate

Hardiness: Hardy


Days to Maturity: 58-60 days

Life Cycle: Biennial

Companion Plants: Basil, beet, chamomile, cucumber, dill, mint, nasturtiums,

onions, oregano, peas, rosemary, sage, tomatoes

Incompatible Plants: Beans, strawberries



Quantity: 150 Seeds

Soil Temperature: $45 - 85^{\circ}$ F Seed Planting Depth: $\frac{1}{4}$ " Plant Spacing: 18" to 24" Row Spacing: 24" to 36"

Indoor Sowing: 6-8 weeks before last frost date

Direct Sowing: Not recommended **Germination Time:** 7-14 days

Sun Exposure: Full Sun (6 hours daily)


Growing Condition: Cold, cool **Water Requirement:** Moderate

Hardiness: Hardy

Days to Maturity: 90-115 days

Life Cycle: Annual

Companion Plants: Artichoke, beet, peas, potatoes, rosemary, sage, spinach **Incompatible Plants:** Grapes, kohlrabi, pole beans, strawberries, tomatoes



Quantity: 100 Seeds

Soil Temperature: $40 - 85^{\circ}$ F Seed Planting Depth: $\frac{1}{4}$ " Plant Spacing: 10" to 18" Row Spacing: 24" to 30"

Indoor Sowing: 4-6 weeks before last frost date

Direct Sowing: Not recommended **Germination Time:** 7-12 days

Sun Exposure: Full Sun (6 hours daily); For warm climates, provide partial shade. **Growing Condition:** Cold, cool, short days

Water Requirement: Moderate

Hardiness: Hardy

Days to Maturity: 65-75 days

Life Cycle: Biennial

Companion Plants: Beans, celery, cucumber, dill, kale, lettuce, onions,

potatoes, sage, spinach, thyme

Incompatible Plants: Broccoli, cauliflower, oregano, strawberries, tomatoes



Quantity: 100 Seeds

Soil Temperature: $40 - 85^{\circ}$ F Seed Planting Depth: $\frac{1}{4}$ " Plant Spacing: 18" to 24" Row Spacing: 24" to 36"

Indoor Sowing: 4-6 weeks before last frost date **Direct Sowing:** 12-16 weeks before first fall frost

Germination Time: 5-14 days

Sun Exposure: Full Sun (6 hours daily); For warm climates, provide partial shade. **Growing Condition:** Cold, cool, short days

Water Requirement: Moderate

Hardiness: Hardy


Days to Maturity: 58-65 days

Life Cycle: Biennial

Companion Plants: Beans, celery, cucumber, dill, kale, lettuce, onions,

potatoes, sage, spinach, thyme

Incompatible Plants: Broccoli, cauliflower, oregano, strawberries, tomatoes



Quantity: 500 Seeds

Soil Temperature: $55 - 75^{\circ}$ F **Seed Planting Depth:** $\frac{1}{4}$ " - $\frac{1}{2}$ "

Plant Spacing: 2" to 3" Row Spacing: 12" to 18"

Indoor Sowing: Not recommended

Direct Sowing: 2-3 weeks before last frost date

Germination Time: 14-21 days

Sun Exposure: Full Sun (6 hours daily) **Growing Condition:** Cool, warm, hot

Water Requirement: Moderate

Hardiness: Hardy


Days to Maturity: 65-75 days

Life Cycle: Biennial

Companion Plants: Beans, lettuce, onions, peas, radish, rosemary, sage,

tomatoes

Incompatible Plants: Anise, dill, parsley



Quantity: 500 Seeds

Soil Temperature: $55 - 75^{\circ}$ F **Seed Planting Depth:** $\frac{1}{4}$ " - $\frac{1}{2}$ "

Plant Spacing: 2" to 3" Row Spacing: 12" to 18"

Indoor Sowing: Not recommended

Direct Sowing: 2-3 weeks before last frost date

Germination Time: 14-21 days

Sun Exposure: Full Sun (6 hours daily) **Growing Condition:** Cool, warm, hot

Water Requirement: Moderate

Hardiness: Hardy

Days to Maturity: 65-75 days

Life Cycle: Biennial

Companion Plants: Beans, lettuce, onions, peas, radish, rosemary, sage,

tomatoes

Incompatible Plants: Anise, dill, parsley



Quantity: 100 Seeds

Soil Temperature: $50 - 85^{\circ}$ F Seed Planting Depth: $\frac{1}{4}$ " - $\frac{1}{2}$ " Plant Spacing: 15" to 18"

Row Spacing: 24" to 26"

Indoor Sowing: 6 weeks before last frost date **Direct Sowing:** 2-3 weeks before last frost date

Germination Time: 5-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cool Water Requirement: High Hardiness: Half Hardy


Days to Maturity: 52-65 days

Life Cycle: Annual

Companion Plants: Basil, beans, dill, garlic, hyssop, lettuce, marigold, mint,

onions, rosemary, sage, thyme

Incompatible Plants: Grapes, peas, rue, strawberries, tomatoes



11" tender, crisp stalks. Grows to an overall height of 30".

Quantity: 300 Seeds

Soil Temperature: 50 – 70° F Seed Planting Depth: 1/16" Plant Spacing: 9" to 12" Row Spacing: 24" to 36"

Indoor Sowing: 8-10 weeks before last frost date

Direct Sowing: Not recommended **Germination Time:** 7-12 days

Sun Exposure: Light Shade (6 hours daily)

Growing Condition: Cool Water Requirement: High Hardiness: Half Hardy


Days to Maturity: 70-125 days

Life Cycle: Biennial

Companion Plants: Bush beans, cabbage, nasturtiums, onions, spinach,

tomatoes

Incompatible Plants: Carrots, parsley, parsnip



Quantity: 300 Seeds

Soil Temperature: $55 - 70^{\circ}$ F Seed Planting Depth: $\frac{1}{4} - \frac{1}{2}^{\circ}$ Plant Spacing: 12" to 18" Row Spacing: 24" to 36"

Indoor Sowing: 6-8 weeks before last frost date (Start indoors if insects and pests are a problem)

Direct Sowing: 2-8 weeks before last frost date

Germination Time: 7-14 days

Sun Exposure: Full Sun / Partial Shade (6 hours)

Growing Condition: Cold, cool, warm, hot

Water Requirement: Moderate


Hardiness: Super Hardy **Days to Maturity:** 75-85 days

Life Cycle: Annual

Companion Plants: Basil, beans, chamomile, dill, garlic, mint, nasturtiums,

onions, potatoes, rosemary, sage, southernwood, thyme

Incompatible Plants: Grapes, rue, tansy



canning as well!

Quantity: 300 Seeds

Soil Temperature: $55 - 70^{\circ}$ F Seed Planting Depth: $\frac{1}{4} - \frac{1}{2}^{\circ}$ Plant Spacing: 12" to 18" Row Spacing: 24" to 36"

Indoor Sowing: 6-8 weeks before last frost date (Start indoors if insects and pests are a problem)

Direct Sowing: 2-8 weeks before last frost date

Germination Time: 7-14 days

Sun Exposure: Full Sun / Partial Shade (6 hours)

Growing Condition: Cold, cool, warm, hot

Water Requirement: Moderate


Hardiness: Super Hardy **Days to Maturity:** 75-85 days

Life Cycle: Annual

Companion Plants: Basil, beans, chamomile, dill, garlic, mint, nasturtiums,

onions, potatoes, rosemary, sage, southernwood, thyme

Incompatible Plants: Grapes, rue, tansy



Quantity: 150 Seeds

Soil Temperature: 40 – 65° F Seed Planting Depth: $\frac{1}{4} - \frac{1}{2}$ "

Plant Spacing: 3" to 6" Row Spacing: 12" to 18"

Indoor Sowing: Not recommended

Direct Sowing: 4-6 weeks before last frost date

Germination Time: 10-14 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, cool Water Requirement: High


Hardiness: Hardy

Days to Maturity: 90-100 days

Life Cycle: Annual

Companion Plants: Beets, cabbage, clover, peas, peppers, radish, tomatoes

Incompatible Plants: Celery, cress, parsley



varieties for salads and raw consumption. Great flavor, and high yielding! Excellent! **Quantity:** 50 Seeds

Soil Temperature: 60 – 85° F **Seed Planting Depth:** ½" Plant Spacing: 12" to 24" Row Spacing: 5' to 6'

Indoor Sowing: 2 weeks after last frost date **Direct Sowing:** 3-4 weeks after last frost date

Germination Time: 4-12 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot

Water Requirement: High

Hardiness: Tender

Days to Maturity: 55-60 days

Life Cycle: Annual

Companion Plants: Beans, cabbage, cauliflower, corn, lettuce, peas, radish,

sunflowers

Incompatible Plants: Aromatic herbs, melons, potatoes



Quantity: 50 Seeds

Soil Temperature: 60 – 85° F Seed Planting Depth: ½" Plant Spacing: 12" to 24" Row Spacing: 5' to 6'

Indoor Sowing: 2 weeks after last frost date **Direct Sowing:** 3-4 weeks after last frost date

Germination Time: 4-12 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot Water Requirement: High

Hardiness: Tender


Days to Maturity: 50-60 days

Life Cycle: Annual

Companion Plants: Beans, cabbage, cauliflower, corn, lettuce, peas, radish,

sunflowers

Incompatible Plants: Aromatic herbs, melons, potatoes



Leaves are used in salads and dips, and used to flavor meats, fish and soups. Seeds used in pickle recipes, and to flavor baked goods. Grows 3'-5' tall.

Quantity: 100 Seeds

Soil Temperature: $60 - 75^{\circ}$ F Seed Planting Depth: $\frac{1}{4} - \frac{1}{2}^{\circ}$ Plant Spacing: 12" to 18" Row Spacing: 18" to 24"

Indoor Sowing: Not recommended

Direct Sowing: 2-6 weeks after last frost date

Germination Time: 12-18 days

Sun Exposure: Full Sun (6 hours daily); Also needs protection from strong winds. **Growing Condition:** Cold, cool, warm

Water Requirement: Moderate

Hardiness: Hardy


Days to Maturity: 40-60 days

Life Cycle: Annual

Companion Plants: Asparagus, broccoli, cabbage, corn, cucumber, lettuce,

onions, roses, marigold

Incompatible Plants: Carrots, cilantro, potatoes, tomatoes



fried, baked or grilled.

Quantity: 50 Seeds

Soil Temperature: $75 - 85^{\circ}$ F Seed Planting Depth: $\frac{1}{4} - \frac{1}{2}^{\circ}$ Plant Spacing: 18" to 24" Row Spacing: 30" to 36"

Indoor Sowing: 4-6 weeks before last frost date **Direct Sowing:** 6-8 weeks after last frost date

Germination Time: 7-14 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot **Water Requirement:** Moderate

Hardiness: Tender

Days to Maturity: 72-90 days

Life Cycle: Annual

Companion Plants: Bush beans, catnip, garlic, marigold, peas, peppers,

potatoes, spinach, tarragon, thyme

Incompatible Plants: Apricot, corn, tomatoes



Quantity: 50 Seeds

Soil Temperature: 75 – 85° F Seed Planting Depth: ¼" Plant Spacing: 18" to 24" Row Spacing: 24" to 36"

Indoor Sowing: 4-6 weeks before last frost date **Direct Sowing:** 6-8 weeks after last frost date

Germination Time: 7-14 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot **Water Requirement:** Moderate

Hardiness: Tender


Days to Maturity: 70-75 days

Life Cycle: Annual

Companion Plants: Bush beans, catnip, garlic, marigold, peas, peppers,

potatoes, spinach, tarragon, thyme

Incompatible Plants: Apricot, corn, tomatoes



A leafy green that grows well even in warmer temperatures. Great steamed or with stir fry dishes. Excellent for attracting deer when plot planted.

Quantity: 500 Seeds

Soil Temperature: $55 - 75^{\circ}$ F Seed Planting Depth: $\frac{1}{4} - \frac{1}{2}^{\circ}$ Plant Spacing: 18" to 24" Row Spacing: 24" to 36"

Indoor Sowing: 5 weeks before last frost date **Direct Sowing:** 2-4 weeks before last frost date

Germination Time: 7-14 days

Sun Exposure: Full Sun (6 hours daily) **Growing Condition:** Cold, cool, warm

Water Requirement: Moderate


Hardiness: Hardy

Days to Maturity: 50-65 days

Life Cycle: Biennial

Companion Plants: Beets, celery, cucumber, dill, garlic, herbs, hyssop, lettuce, mint, nasturtiums, onions, potatoes, rosemary, sage, spinach, Swiss chard

Incompatible Plants: Beans, grapes, rue, strawberries, tomatoes



An unusual, but great tasting and incredibly nutritious vegetable tastes mildly like broccoli with a hint of cabbage. Can be eaten raw or cooked. Roast, steam or add to soups.

Quantity: 200 Seeds

Soil Temperature: $50 - 85^{\circ}$ F **Seed Planting Depth:** $\frac{1}{4} - \frac{1}{2}^{\circ}$

Plant Spacing: 6" to 8" Row Spacing: 12"

Indoor Sowing: 4-5 weeks before last frost date **Direct Sowing:** 4-6 weeks before last frost date

Germination Time: 5-10 days

Sun Exposure: Full Sun (6 hours daily)


Growing Condition: Cold, cool **Water Requirement:** Moderate

Hardiness: Hardy

Days to Maturity: 55-65 days

Life Cycle: Annual

Companion Plants: Beets, celery, herbs, onions, potatoes **Incompatible Plants:** Pole beans, strawberries, tomatoes



Quantity: 500 Seeds

Soil Temperature: 60 – 70° F Seed Planting Depth: 1/8" Plant Spacing: 8" to 12" Row Spacing: 12" to 18"

Indoor Sowing: 5-6 weeks before last frost date **Direct Sowing:** 2-4 weeks after last frost date

Germination Time: 7-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, warm **Water Requirement:** Moderate

Hardiness: Half Hardy

Days to Maturity: 40-65 days

Life Cycle: Annual

Companion Plants: Asparagus, beets, Brussels sprouts, cabbage, carrots, corn, cucumber, eggplant, onions, peas, potatoes, radish, spinach, strawberries, sunflowers, tomatoes

Incompatible Plants: Broccoli, celery, parsley



Quantity: 500 Seeds

Soil Temperature: 60 – 70° F Seed Planting Depth: 1/8" Plant Spacing: 8" to 12" Row Spacing: 12" to 18"

Indoor Sowing: 5-6 weeks before last frost date **Direct Sowing:** 2-4 weeks after last frost date

Germination Time: 7-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, warm **Water Requirement:** Moderate


Hardiness: Half Hardy

Days to Maturity: 60-65 days

Life Cycle: Annual

Companion Plants: Asparagus, beets, Brussels sprouts, cabbage, carrots, corn, cucumber, eggplant, onions, peas, potatoes, radish, spinach, strawberries, sunflowers, tomatoes

Incompatible Plants: Broccoli, celery, parsley



Won the 1963 All-American

Selectins Award! 65 days.

Quantity: 500 Seeds

Soil Temperature: 60 – 70° F Seed Planting Depth: 1/8" Plant Spacing: 8" to 12" Row Spacing: 12" to 18"

Indoor Sowing: 5-6 weeks before last frost date **Direct Sowing:** 2-4 weeks after last frost date

Germination Time: 7-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, warm **Water Requirement:** Moderate


Hardiness: Half Hardy

Days to Maturity: 48-53 days

Life Cycle: Annual

Companion Plants: Asparagus, beets, Brussels sprouts, cabbage, carrots, corn, cucumber, eggplant, onions, peas, potatoes, radish, spinach, strawberries, sunflowers, tomatoes

Incompatible Plants: Broccoli, celery, parsley



Quantity: 500 Seeds

Soil Temperature: 60 – 70° F Seed Planting Depth: 1/8" Plant Spacing: 8" to 12" Row Spacing: 12" to 18"

Indoor Sowing: 5-6 weeks before last frost date **Direct Sowing:** 2-4 weeks after last frost date

Germination Time: 7-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, warm **Water Requirement:** Moderate

Hardiness: Half Hardy

Days to Maturity: 48-50 days


Life Cycle: Annual

Companion Plants: Asparagus, beets, Brussels sprouts, cabbage, carrots, corn, cucumber, eggplant, onions, peas, potatoes, radish, spinach, strawberries,

sunflowers, tomatoes

in fine restaurants.

Incompatible Plants: Broccoli, celery, parsley



Quantity: 50 Seeds

Soil Temperature: 65 – 80° F Seed Planting Depth: ½" Plant Spacing: 36" to 48" Row Spacing: 4' to 6'

Indoor Sowing: 3-4 weeks before last frost date **Direct Sowing:** 1-2 weeks after last frost date; Ideal only if you have a long, hot growing season.

Germination Time: 4-8 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot **Water Requirement:** Moderate

Hardiness: Very Tender

Days to Maturity: 74-88 days

Life Cycle: Annual

Companion Plants: Anise, basil, bee balm, catnip, chives, cilantro, corn, dill, garlic, marigold, mint, nasturtiums, onions, pumpkins, radish, sage, tansy

Incompatible Plants: Potatoes



1895. 90 Days

Quantity: 50 Seeds

Soil Temperature: 65 – 80° F Seed Planting Depth: ½" Plant Spacing: 36" to 48" Row Spacing: 4' to 6'

Indoor Sowing: 3-4 weeks before last frost date **Direct Sowing:** 1-2 weeks after last frost date; Ideal only if you have a long, hot growing season.

Germination Time: 7-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot **Water Requirement:** Moderate

Hardiness: Very Tender

Days to Maturity: 70-97 days

Life Cycle: Annual

Companion Plants: Anise, basil, bee balm, catnip, chives, cilantro, corn, dill, garlic, marigold, mint, nasturtiums, onions, pumpkins, radish, sage, tansy

Incompatible Plants: Potatoes



Quantity: 600 Seeds

Soil Temperature: $65 - 75^{\circ}$ F **Seed Planting Depth:** $\frac{1}{4} - \frac{1}{2}^{\circ}$

Plant Spacing: 3" to 6" Row Spacing: 18"

Indoor Sowing: Not recommended

Direct Sowing: 2-4 weeks before last frost date

Germination Time: 7-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, cool **Water Requirement:** Moderate

Hardiness: Hardy


Days to Maturity: 30-55 days

Life Cycle: Annual

Companion Plants: Dill, English peas, fennel, flowering buckwheat, jasmine, mint, snap peas, tansy, turnips, yarrow

Incompatible Plants: Dried beans, field pennycress, pigweed, shepherd's purse,

soybeans, sunflowers, wild mustard



Quantity: 50 Seeds

Soil Temperature: $70 - 95^{\circ}$ F Seed Planting Depth: $\frac{1}{2} - 1^{\circ}$ Plant Spacing: 12" to 18" Row Spacing: 36" to 48"

Indoor Sowing: 2-4 weeks before last frost date **Direct Sowing:** 3-5 weeks after last frost date; Ideal if your growing season is long enough.

Germination Time: 7-14 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot Water Requirement: High

Hardiness: Tender

Days to Maturity: 52-64 days

Life Cycle: Annual

Companion Plants: Basil, cucumber, eggplant, melons, peas, peppers, radish,

snow pea vines, sunflowers

for pickling as well.

Incompatible Plants: No known bad companion plants



Quantity: 50 Seeds

Soil Temperature: 70 – 95° F Seed Planting Depth: ¼" Plant Spacing: 12" to 24" Row Spacing: 36" to 48"

Indoor Sowing: 2-4 weeks before last frost date **Direct Sowing:** 3-5 weeks after last frost date; Ideal if your growing season is long enough.

Germination Time: 7-14 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot

Water Requirement: High

Hardiness: Tender


Days to Maturity: 66-72 days

Life Cycle: Annual

Companion Plants: Basil, cucumber, eggplant, melons, peas, peppers, radish,

snow pea vines, sunflowers

Incompatible Plants: No known bad companion plants



Quantity: 200 Seeds

Soil Temperature: $55 - 75^{\circ}$ F **Seed Planting Depth:** $\frac{1}{4} - \frac{1}{2}^{\circ}$

Plant Spacing: 4" to 6" Row Spacing: 12" to 18"

Indoor Sowing: 16 weeks before last frost date **Direct Sowing:** 4-6 weeks before last frost date

Germination Time: 10-14 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, cool, warm, long days

Water Requirement: Moderate

Hardiness: Hardy


Days to Maturity: 100-150 days

Life Cycle: Biennial

Companion Plants: Beets, broccoli, cabbage, carrots, cucumber, lettuce,

peppers, potatoes, radish, spinach, squash, tomatoes

Incompatible Plants: Beans, peas, sage



Quantity: 200 Seeds

Soil Temperature: $55 - 75^{\circ}$ F **Seed Planting Depth:** $\frac{1}{4} - \frac{1}{2}^{\circ}$

Plant Spacing: 4" to 6" Row Spacing: 12" to 18"

Indoor Sowing: 16 weeks before last frost date **Direct Sowing:** 4-6 weeks before last frost date

Germination Time: 10-14 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, cool, warm, long days

Water Requirement: Moderate

Hardiness: Hardy

Days to Maturity: 100-150 days

Life Cycle: Biennial

Companion Plants: Beets, broccoli, cabbage, carrots, cucumber, lettuce,

peppers, potatoes, radish, spinach, squash, tomatoes

Incompatible Plants: Beans, peas, sage



Produces large 15 inch long, & 3" wide smooth, off-white roots with a sweet, nutty flavor. Can be used like carrots in stews and soups or can be steamed, sauteed in butter, or fried.

Quantity: 250 Seeds

Soil Temperature: 45 – 75° F Seed Planting Depth: ½" Plant Spacing: 2" to 4" Row Spacing: 18" to 24"

Indoor Sowing: Not recommended

Direct Sowing: 2 weeks before last frost date

Germination Time: 2-3 weeks

Sun Exposure: Does good in light shade, but more productive in full sun (6 hours daily)

Growing Condition: Cold, cool **Water Requirement:** Moderate

Hardiness: Hardy

Days to Maturity: 95-110 days

Life Cycle: Annual

Companion Plants: Bush beans, garlic, onions, peas, peppers, potatoes, radish

Incompatible Plants: Caraway, carrots, celery, larkspur



Quantity: 75 Seeds

Soil Temperature: 75 – 85° F Seed Planting Depth: ¼" Plant Spacing: 12" to 24" Row Spacing: 24" to 36"

Indoor Sowing: 6-8 weeks before last frost date

Direct Sowing: Not recommended **Germination Time:** 10-21 days

Sun Exposure: Full Sun (6 hours daily); For very warm climates, provide light shade.

Growing Condition: Warm, hot **Water Requirement:** Moderate

Hardiness: Very Tender

Days to Maturity: 70-75 days

Life Cycle: Annual

Companion Plants: Basil, coriander, marjoram, onions, oregano, parsley,

rosemary, spinach, squash, tomatoes

Incompatible Plants: Apricot, beans, broccoli, Brussels sprouts, cabbage,

fennel, kale, kohlrabi, mustard



Quantity: 75 Seeds

Soil Temperature: 75 – 85° F Seed Planting Depth: 1/4" Plant Spacing: 12" to 18" Row Spacing: 24" to 36"

Indoor Sowing: 6-8 weeks before last frost date

Direct Sowing: Not recommended **Germination Time:** 10-21 days

Sun Exposure: Full Sun (6 hours daily); For very warm climates, provide light shade.

Growing Condition: Warm, hot **Water Requirement:** Moderate

Hardiness: Very Tender

Days to Maturity: 72-75 days

Life Cycle: Annual

Companion Plants: Basil, coriander, marjoram, onions, oregano, parsley,

rosemary, spinach, squash, tomatoes

Incompatible Plants: Apricot, beans, broccoli, Brussels sprouts, cabbage,

fennel, kale, kohlrabi, mustard





A culinary variety prized for its taste and texture. Excellent for pies, souffle, and any baking recipe calling for pumpkin.

Quantity: 25 Seeds

Soil Temperature: $65 - 95^{\circ}$ F Seed Planting Depth: $1 - 1\frac{1}{2}$ "

Plant Spacing: 6" to 12" Row Spacing: 6' to 10'

Indoor Sowing: 1-2 weeks before last frost date **Direct Sowing:** 3-10 weeks after last frost date

Germination Time: 5-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot Water Requirement: High


Hardiness: Tender

Days to Maturity: 100-105 days

Life Cycle: Annual

Companion Plants: Corn, marigold, melons, nasturtiums, oregano, squash

Incompatible Plants: Potatoes



Survival Associated Season that

Very popular variety will grow just about anywhere! Shade, sun, indoors or out. Perfect for salads, or in sandwiches. Quantity: 200 Seeds

Soil Temperature: 45 – 85° F Seed Planting Depth: ½" Plant Spacing: 2" to 4" Row Spacing: 12" to 24"

Indoor Sowing: Not recommended

Direct Sowing: 0-4 weeks before last frost date

Germination Time: 4-12 days

Sun Exposure: Full Sun (6 hours daily) **Growing Condition:** Cold, cool, warm

Water Requirement: Moderate

Hardiness: Hardy

Days to Maturity: 20-30 days

Life Cycle: Annual

Companion Plants: Basil, carrots, coriander, cucumber, lettuce, onions,

spinach, tomatoes

Incompatible Plants: Beans, hyssop, kohlrabi



Quantity: 200 Seeds

Soil Temperature: $45 - 85^{\circ}$ F Seed Planting Depth: $\frac{1}{2}$ " Plant Spacing: 2" to 4" Row Spacing: 12" to 24"

Indoor Sowing: Not recommended

Direct Sowing: 0-4 weeks before last frost date

Germination Time: 4-12 days

Sun Exposure: Full Sun (6 hours daily) **Growing Condition:** Cold, cool, warm

Water Requirement: Moderate

Hardiness: Hardy


Days to Maturity: 20-30 days

Life Cycle: Annual

Companion Plants: Basil, carrots, coriander, cucumber, lettuce, onions,

spinach, tomatoes

Incompatible Plants: Beans, hyssop, kohlrabi



Large globe shaped root vegetable which is a great low starch substitute for potatoes. Yellow flesh, turns orange when cooked.

Quantity: 400 Seeds

Soil Temperature: $45 - 85^{\circ}$ F Seed Planting Depth: $\frac{1}{4}$ " Plant Spacing: 2" to 4" Row Spacing: 18" to 24"

Indoor Sowing: Not recommended

Direct Sowing: 4-6 weeks before last frost date

Germination Time: 7-14 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, cool **Water Requirement:** Moderate

Hardiness: Hardy

Days to Maturity: 90-100 days

Life Cycle: Biennial

Companion Plants: Beets, carrots, turnips

Incompatible Plants: Dill, grapes, pole beans, strawberries, tomatoes



Quantity: 100 Seeds

Soil Temperature: 45 – 75° F Seed Planting Depth: ½" Plant Spacing: 2" to 6" Row Spacing: 12" to 18"

Indoor Sowing: Not recommended

Direct Sowing: 4-6 weeks before last frost date

Germination Time: 7-14 days

Sun Exposure: Full Sun (6 hours daily);

For warmer climates, plant in a shady location.

Growing Condition: Cold, cool, warm

Water Requirement: Moderate


Hardiness: Super Hardy **Days to Maturity:** 39-60 days

Life Cycle: Annual

Companion Plants: Bush beans, cabbage, celery, eggplant, leeks, lettuce,

onions, peas, strawberries

Incompatible Plants: Potatoes



Quantity: 25 Seeds

Soil Temperature: $60 - 90^{\circ}$ F Seed Planting Depth: $\frac{1}{2} - 1^{\circ}$ Plant Spacing: 36° to 48°

Row Spacing: 36"

Indoor Sowing: 1 week before last frost date **Direct Sowing:** 3-12 weeks after last frost date

Germination Time: 5-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot Water Requirement: High

Hardiness: Tender

Days to Maturity: 42-50 days

Life Cycle: Annual

Companion Plants: Borage, corn, melons, pumpkins, marigold, nasturtiums,

oregano

Incompatible Plants: Potatoes



Quantity: 25 Seeds

Soil Temperature: $65 - 95^{\circ}$ F Seed Planting Depth: $\frac{1}{2} - 1^{\circ}$ Plant Spacing: 36° to 48°

Row Spacing: 36"

Indoor Sowing: 1 week before last frost date **Direct Sowing:** 3-12 weeks before last frost date

Germination Time: 5-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot **Water Requirement:** High

Hardiness: Tender


Days to Maturity: 58-90 days

Life Cycle: Annual

Companion Plants: Borage, corn, melons, pumpkins, marigold, nasturtiums,

oregano

Incompatible Plants: Potatoes



Quantity: 25 Seeds

Soil Temperature: 70 – 95° F Seed Planting Depth: 1" Plant Spacing: 24" to 36"

Row Spacing: 48"

Indoor Sowing: 1 week before last frost date **Direct Sowing:** 3-12 weeks before last frost date

Germination Time: 7-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot

Water Requirement: High

Hardiness: Tender


Days to Maturity: 45-65 days

Life Cycle: Annual

Companion Plants: Borage, corn, melons, pumpkins, marigold, nasturtiums,

oregano

Incompatible Plants: Potatoes



Quantity: 75 Seeds

Soil Temperature: $40 - 95^{\circ}$ F Seed Planting Depth: $\frac{1}{2} - 1^{\circ}$ Plant Spacing: 6° to 12° Row Spacing: 18° to 24°

Indoor Sowing: Not recommended

Direct Sowing: 0-2 weeks after last frost date

Germination Time: 10-21 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Cold, cool **Water Requirement:** Moderate


Hardiness: Hardy

Days to Maturity: 55-60 days

Life Cycle: Biennial

Companion Plants: Cabbage, carrots, lettuce, onion, peas, tomatoes

Incompatible Plants: Pole beans



Hugely popular for flavor and large girth, this variety can reach weights of over 2 pounds! One of the best for sandwiches, burgers, and slicing and eating. Indeterminate. 80-95 Days. **Quantity: 50 Seeds**

Soil Temperature: $75 - 85^{\circ}$ F Seed Planting Depth: $\frac{1}{4} - \frac{1}{2}^{\circ}$ Plant Spacing: 36" to 48" Row Spacing: 4' to 5'

Indoor Sowing: 6-8 weeks before last frost date **Direct Sowing:** 4-12 weeks after last frost date; Ideal only for areas with a long growing season.

Germination Time: 7-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot **Water Requirement:** Moderate

Hardiness: Tender

Days to Maturity: 62-115 days

Life Cycle: Annual

Companion Plants: Asparagus, basil, beans, borage, carrots, celery, dill, lettuce, melons, onions, parsley, peppers, radishes, spinach, thyme

Incompatible Plants: Broccoli, Brussels sprouts, cabbage, cauliflower, corn,

kale, potatoes



Quantity: 50 Seeds

Soil Temperature: $75 - 85^{\circ}$ F Seed Planting Depth: $\frac{1}{4} - \frac{1}{2}^{\circ}$ Plant Spacing: 36" to 48" Row Spacing: 4' to 5'

Indoor Sowing: 6-8 weeks before last frost date **Direct Sowing:** 4-12 weeks after last frost date; Ideal only for areas with a long growing season.

Germination Time: 7-10 days

Sun Exposure: Full Sun (6 hours daily)

Growing Condition: Warm, hot **Water Requirement:** Moderate


Hardiness: Tender

Days to Maturity: 70-90 days

Life Cycle: Annual

Companion Plants: Asparagus, basil, beans, borage, carrots, celery, dill, lettuce, melons, onions, parsley, peppers, radishes, spinach, thyme **Incompatible Plants:** Broccoli, Brussels sprouts, cabbage, cauliflower, corn,

kale, potatoes



Quantity: 50 Seeds

Soil Temperature: 75 – 85° F Seed Planting Depth: ¼" Plant Spacing: 18" to 24" Row Spacing: 3' to 4'

Indoor Sowing: 6-8 weeks before last frost date **Direct Sowing:** 4-12 weeks after last frost date; Ideal only for areas with a long growing season.

Germination Time: 7-10 days

Sun Exposure: Full Sun (6 hours daily)


Growing Condition: Warm, hot **Water Requirement:** Moderate

Hardiness: Tender

Days to Maturity: 70-90 days

Life Cycle: Annual

Companion Plants: Asparagus, basil, beans, borage, carrots, celery, dill, lettuce, melons, onions, parsley, peppers, radishes, spinach, thyme **Incompatible Plants:** Broccoli, Brussels sprouts, cabbage, cauliflower, corn, kale, potatoes



Un all time favorite. Versatile in the many ways to prepare and eat, a true staple of the root vegetable family. Very easy to grow. Mass plant for greens and to attract deer.

Quantity: 400 Seeds

Soil Temperature: $45 - 85^{\circ}$ F **Seed Planting Depth:** $\frac{1}{4} - \frac{1}{2}$

Plant Spacing: 4" to 6" Row Spacing: 12" to 18"

Indoor Sowing: Not recommended

Direct Sowing: 2-4 weeks before last frost date

Germination Time: 7-14 days

Sun Exposure: Full Sun (6 hours daily)


Growing Condition: Cold, cool **Water Requirement:** Moderate

Hardiness: Hardy

Days to Maturity: 50-55 days

Life Cycle: Biennial

Companion Plants: Cabbage, celery, dill, onions, peas, mint, rosemary, sage **Incompatible Plants:** Delphinium, larkspur, pole beans, potatoes, radish, mustard



Produces solid white globe turnip, best when harvested at oround 4" in diameter.
One of the best varieties for greens. Fops grow to about 20" tall.

Quantity: 400 Seeds

Soil Temperature: $45 - 85^{\circ}$ F **Seed Planting Depth:** $\frac{1}{4} - \frac{1}{2}^{\circ}$

Plant Spacing: 4" to 6" Row Spacing: 12" to 18"

Indoor Sowing: Not recommended

Direct Sowing: 2-4 weeks before last frost date

Germination Time: 7-14 days

Sun Exposure: Full Sun (6 hours daily)


Growing Condition: Cold, cool **Water Requirement:** Moderate

Hardiness: Hardy

Days to Maturity: 50-55 days

Life Cycle: Biennial

Companion Plants: Cabbage, celery, dill, onions, peas, mint, rosemary, sage **Incompatible Plants:** Delphinium, larkspur, pole beans, potatoes, radish, mustard



Quantity: 25 Seeds

Soil Temperature: 75 – 80° F **Seed Planting Depth:** 1"

Plant Spacing: 3' Row Spacing: 6'

Indoor Sowing: 3-4 weeks before last frost date **Direct Sowing:** 3-4 weeks after last frost date; Ideal if your growing season is long & hot enough.

Germination Time: 5-8 days

Sun Exposure: Full Sun (6 hours daily) **Growing Condition:** Warm, hot, long days

Water Requirement: Moderate

Hardiness: Very Tender

Days to Maturity: 90-100 days

Life Cycle: Annual

Companion Plants: Basil, corn, marigolds, nasturtiums, oregano, pumpkins,

radish

Incompatible Plants: Beans, black walnut, cucumber, mustard, potatoes,

squash, zucchini



Quantity: 25 Seeds

Soil Temperature: 75 – 80° F **Seed Planting Depth:** 1"

Plant Spacing: 3' Row Spacing: 6'

Indoor Sowing: 3-4 weeks before last frost date **Direct Sowing:** 3-4 weeks after last frost date; Ideal if your growing season is long & hot enough.

Germination Time: 5-8 days

Sun Exposure: Full Sun (6 hours daily) **Growing Condition:** Warm, hot, long days

Water Requirement: Moderate

Hardiness: Very Tender

Days to Maturity: 90-100 days

Life Cycle: Annual

Companion Plants: Basil, corn, marigolds, nasturtiums, oregano, pumpkins,

radish

Incompatible Plants: Beans, black walnut, cucumber, mustard, potatoes,

squash, zucchini

STORING

Best Storage Tips for Your Heirloom Seeds

Heirloom seeds are very practical because they can provide a seed supply and food source for a lifetime. All you have to do is preserve the seeds that come from your harvests, keep them in pickle jars, and you can use them for many decades to come! You can even save money because you won't have to buy new seeds at the beginning of every season.

For more seed-storing tips, check these ones below:

- When saving seeds from your heirloom crops, you'll want to air-dry them for a week before storage. Just lay them out on newspapers until they're completely dry. Add labels so as not to mix them up. There are many videos on youtube.com that show you exact methods of processing and drying the many different varieties of heirloom seeds from the vegetables you harvest from your garden.
- To prolong the shelf life of your heirloom seeds, you need to always keep them away from moisture. Do this by first putting them in ziplock bags and then placing them inside airtight containers. Glass jars work well as containers for your heirloom seeds.
- Use desiccants like silica gels to remove the excess humidity and moisture in your seed jar. Put them inside the jar with your ziplock seed bags and tightly seal the container. The desiccant should never come in direct contact with the heirloom seeds—hence the reason for using plastic bags. Remember to change the desiccant every six months as well.
- Aside from moisture, heat is one of the worst enemies of seed storage.
 Never expose the seeds to any kind of heat because it will shorten their viability.

- The best place to store your seeds is in the darkest, driest and coolest part of your house. The refrigerator is a good option. Simply put your glass jars in the fridge for long-term storage, but never take them out unless you're ready to plant them. Freezing is a viable way to save seeds for up to a decade or more, just follow the same directions but place them into the freezer instead of the refirgerator.
- Once you're ready to use the seeds, take the jars out from the refrigerator but don't remove their lids just yet. Wait until the seeds have reached room temperature so you can prevent moisture from clumping the seeds together. (opening the seeds prior to reaching room temperature will cause condensation to form, potentially causing your seeds to split open when re-frozen)
- Label and date your heirloom seed containers. This way, you can instantly
 tell which is which and how old they are. It's also a good idea to organize
 the seeds according to the season they were harvested for easy tracking.

Note that heirloom seeds have different shelf lives depending on their variety. For more information you can do a Google search for: shelf life of heirloom vegetables.

So those are the best storing tips for preserving your heirloom seeds. Follow them properly so you can effectively save and store your seeds for future use.

Thank You!

Once again, we at Grow For It! would like to thank you for your purchase. We hope you will find all the information here to be useful for your home garden. If you have inquiries or need help on your heirloom seeds pack, please don't hesitate to contact us at:

Charles C Harmon Co LLC
P.O. Box 4363
Carson City, NV 89702

chuck.harmon@gmail.com